


KT cable grommets, grey

for cable diameters 1 - 35 mm / IP66 / IP68 / UL Type 12/4X




Cable grommets KT small are used with the following cable entry components:

- KEL cable entry frames
- KVT split cable glands

In combination with KEL-ER cable entry frames and KVT-ER cable glands the KT single-hole grommets enable a sealing of the cables with up to IP66 / IP68 and UL Type 4X.

The model range KT small is designed for cable diameters from 1 to 17 mm. Cable grommets KT large accept a wide range of cable diameters from 16 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.




Specifications


IP rating (certified acc. to EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (certified acc. to UL 50E)	UL Type 12, UL Type 4X
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets


Product types & sizes

BTK gy 	Part No.	41251	Height	19 mm
	EAN	4251269306686	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	Colour	grau (ähnlich RAL 7035)	Blank grommet	1
	Length	21 mm		
	Width	21 mm		

KT 1 gy


Part No. **39941**
 EAN **4251269318146**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 1 - 2 mm**

KT 2 gy


Part No. **39934**
 EAN **4251269306280**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 2 - 3 mm**

KT 3 gy


Part No. **41203**
 EAN **4251269306389**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 3 - 4 mm**

KT 4 gy


Part No. **41204**
 EAN **4251269306396**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 4 - 5 mm**

KT 5 gy


Part No. **41205**
 EAN **4251269306402**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 5 - 6 mm**

KT 6 gy


Part No. **41206**
 EAN **4251269306419**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 6 - 7 mm**

KT 7 gy


Part No. 41207
 EAN 4251269306426
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 21 mm
 Width 21 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 7 - 8 mm

KT 8 gy


Part No. 41208
 EAN 4251269306433
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 21 mm
 Width 21 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 8 - 9 mm

KT 9 gy


Part No. 41209
 EAN 4251269306440
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 21 mm
 Width 21 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 9 - 10 mm

KT 10 gy


Part No. 41210
 EAN 4251269306457
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 21 mm
 Width 21 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 10 - 11 mm

KT 11 gy


Part No. 41211
 EAN 4251269306464
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 21 mm
 Width 21 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 11 - 12 mm

KT 12 gy


Part No. 41212
 EAN 4251269306471
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 21 mm
 Width 21 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 12 - 13 mm

KT 13 gy


Part No. **41213**
 EAN **4251269306488**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 13 - 14 mm**

KT 14 gy

Part No. **41214**
 EAN **4251269306495**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 14 - 15 mm**

KT 15 gy


Part No. **41215**
 EAN **4251269306501**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 15 - 16 mm**

BTG gy (IP54)


Part No. **41252**
 EAN **4251269306693**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Blank grommet **1**

KT 16 gy


Part No. **41216**
 EAN **4251269306518**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 16 - 17 mm**

KT 17 gy


Part No. **41217**
 EAN **4251269306525**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 17 - 18 mm**

KT 18 gy


Part No. 41218
 EAN 4251269306532
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 18 - 19 mm

KT 19 gy


Part No. 41219
 EAN 4251269306549
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 19 - 20 mm

KT 20 gy


Part No. 41220
 EAN 4251269306556
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 20 - 21 mm

KT 21 gy


Part No. 41221
 EAN 4251269306563
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 21 - 22 mm

KT 22 gy


Part No. 41222
 EAN 4251269306570
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 22 - 23 mm

KT 23 gy


Part No. 41223
 EAN 4251269306587
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 23 - 24 mm

KT 24 gy


Part No. **41224**
 EAN **4251269306594**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 24 - 25 mm**

KT 25 gy


Part No. **41225**
 EAN **4251269306600**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 25 - 26 mm**

KT 26 gy


Part No. **41226**
 EAN **4251269306617**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 26 - 27 mm**

KT 27 gy


Part No. **41227**
 EAN **4251269306624**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 27 - 28 mm**

KT 28 gy


Part No. **41228**
 EAN **4251269306631**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 28 - 29 mm**

KT 29 gy


Part No. **41229**
 EAN **4251269306648**
 PU **10**
 For max. no. of cables **1**
 Colour **grau (ähnlich RAL 7035)**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 29 - 30 mm**

KT 30 gy


Part No. 41230
 EAN 4251269306655
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 30 - 31 mm

KT 31 gy


Part No. 41231
 EAN 4251269316784
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 31 - 32 mm

KT 32 gy


Part No. 41232
 EAN 4251269306662
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 32 - 33 mm

KT 33 gy

Part No. 41233
 EAN 4251269316791
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 33 - 34 mm

KT 34 gy

Part No. 41234
 EAN 4251269306679
 PU 10
 For max. no. of cables 1
 Colour grau (ähnlich RAL 7035)
 Length 41.5 mm
 Width 42 mm

Height 19 mm
 Mounting height 2 mm
 For cable type Rundleitung
 Clamping range 1 x 34 - 35 mm