

KT cable grommets, black

for cable diameters 1 - 35 mm / IP66 / IP68



Cable grommets KT small are used with the following cable entry components:

- KEL cable entry frames
- KVT split cable glands

In combination with KEL-ER cable entry frames and KVT-ER cable glands the KT single-hole grommets enable a sealing of the cables with up to IP66 / IP68.

The model range KT small is designed for cable diameters from 1 to 17 mm. Cable grommets KT large accept a wide range of cable diameters from 16 to 35 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

IP54

IP55

IP64

IP65

IP66

IP67

IP68



ECOLAB certified



RoHS compliant



Made in Germany

Specifications


IP rating (certified acc. to EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
Material	Elastomer
Flame class	UL94-HB
Operating temperature	-30 C° to 90 C°
Properties	higher chemical resistance

Advantages & benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets

Product types & sizes


BTK bk



Part No.	41351
EAN	4251269307072
PU	10
Colour	schwarz
Length	21 mm
Width	21 mm


Height	19 mm
Mounting height	2 mm
For cable type	Rundleitung
Blank grommet	1


KT 1 bk





Part No.	39943
EAN	4251269318160
PU	10
For max. no. of cables	1
Colour	schwarz
Length	21 mm
Width	21 mm


Height	19 mm
Mounting height	2 mm
For cable type	Rundleitung
Clamping range	1 x 1 - 2 mm


KT 2 bk 	Part No.	41302	Height	19 mm
	EAN	4251269306761	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 2 - 3 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 3 bk 	Part No.	41303	Height	19 mm
	EAN	4251269306778	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 3 - 4 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		

KT 4 bk 	Part No.	41304	Height	19 mm
	EAN	4251269306785	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 4 - 5 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		

KT 5 bk 	Part No.	41305	Height	19 mm
	EAN	4251269306792	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 5 - 6 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		


KT 6 bk 	Part No.	41306	Height	19 mm
	EAN	4251269306808	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 6 - 7 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		

KT 7 bk 	Part No.	41307	Height	19 mm
	EAN	4251269306815	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 7 - 8 mm
	Colour	schwarz		
	Length	21 mm		
	Width	21 mm		

KT 8 bk


Part No. **41308**
 EAN **4251269306822**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 8 - 9 mm**

KT 9 bk


Part No. **41309**
 EAN **4251269306839**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 9 - 10 mm**

KT 10 bk


Part No. **41310**
 EAN **4251269306846**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **x 10 - 11 mm**

KT 11 bk


Part No. **41311**
 EAN **4251269306853**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 11 - 12 mm**

KT 12 bk


Part No. **41312**
 EAN **4251269306860**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 12 - 13 mm**

KT 13 bk


Part No. **41313**
 EAN **4251269306877**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 13 - 14 mm**

KT 14 bk

Part No. **41314**
 EAN **4251269306884**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 14 - 15 mm**

KT 15 bk


Part No. **41315**
 EAN **4251269306891**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 15 - 16 mm**

BTG bk (IP54)


Part No. **41352**
 EAN **4251269307089**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Blank grommet **1**

KT 16 bk


Part No. **41316**
 EAN **4251269306907**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 16 - 17 mm**

KT 17 bk


Part No. **41317**
 EAN **4251269306914**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 17 - 18 mm**

KT 18 bk

Part No. **41318**
 EAN **4251269306921**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 18 - 19 mm**


KT 19 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41319
4251269306938
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 19 - 20 mm


KT 20 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41320
4251269306945
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 20 - 21 mm


KT 21 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41321
4251269306952
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 21 - 22 mm


KT 22 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41322
4251269306969
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 22 - 23 mm


KT 23 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41323
4251269306976
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 23 - 24 mm


KT 24 bk

Part No.
EAN
PU
For max. no. of cables
Colour
Length
Width

41324
4251269306983
10
1
schwarz
41.5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 24 - 25 mm

KT 25 bk

Part No. **41325**
 EAN **4251269306990**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 25 - 26 mm**

KT 26 bk

Part No. **41326**
 EAN **4251269307003**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 26 - 27 mm**

KT 27 bk

Part No. **41327**
 EAN **4251269307010**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 27 - 28 mm**

KT 28 bk


Part No. **41328**
 EAN **4251269307027**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 28 - 29 mm**

KT 29 bk


Part No. **41329**
 EAN **4251269307034**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 29 - 30 mm**

KT 30 bk

Part No. **41330**
 EAN **4251269307041**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 30 - 31 mm**

KT 31 bk


Part No. **41331**
 EAN **4251269316807**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 31 - 32 mm**

KT 32 bk


Part No. **41332**
 EAN **4251269307058**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 32 - 33 mm**

KT 33 bk

Part No. **41333**
 EAN **4251269316814**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 33 - 34 mm**

KT 34 bk

Part No. **41334**
 EAN **4251269307065**
 PU **10**
 For max. no. of cables **1**
 Colour **schwarz**
 Length **41.5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 34 - 35 mm**